

Top Edge: 78.75" width + bleed

RECOMMENDED FRONT VISUAL

Graphic Wraps: OCX Stretch Wrap *hem on side

Total Graphic Area: 84.75"w X 45.5"h

(Top: 31"w X 21.25"d)

Total Finished Area: 80.75"w X 41.5"h (Top: 27"w X 17.25"d) (Visual Height: 37.5"h, Front Visual: 22"w)

Please be sure to include a 2" bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2" of the edge (gray area is recommended safe area for front).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must
 bleed to the edge of artboard
 Do not use spot colors from template
 in your artwork as they will not print

RECOMMENDED FRONT VISUAL

TOP GRAPHIC

safe area

RECOMMENDED FRONT VISUAL

Graphic Wraps: OCX Stretch Wrap *hem on side

Total Graphic Area: 84.75" w X 45.5" h

(Top: 31"w X 21.25"d)

Total Finished Area: 80.75" w X 41.5" h

(Top: 27"w X 17.25"d)

(Visual Height: 37.5"h, Front Visual: 22"w)

Please be sure to include a 2" bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2" of the edge (gray area is recommended safe area for front).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

RECOMMENDED FRONT VISUAL