Formulate:
20'x10', Straight Wall Double Sided

TEMPLATE IS @ 1/2 SIZE
Total Graphic Area: 236"w X 124.25"h

Graphic Area, Half Size: 118"w X 62.125"h
Total Visual Area: 232"w X 120.25"h
Visual Area, Half Size: 116"w X 60.125"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 2" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



FRONT GRAPHIC

bleed area
trim line
safe zone

BACK GRAPHIC

bleed area
trim line
safe zone

Formulate:
20'x10', Straight Wall Double Sided

TEMPLATE IS @ 1/2 SIZE
Total Graphic Area: 236"w X 124.25"h

Graphic Area, Half Size: 118"w X 62.125"h
Total Visual Area: 232"w X 120.25"h
Visual Area, Half Size: 116"w X 60.125"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 2" of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



FRONT GRAPHIC

bleed area
trim line
safe zone

BACK GRAPHIC

bleed area
trim line
safe zone