Formulate Backwall: Accent 05



Outside
Total Graphic Area: 52.75”w x 194”h
Total Finished Area:48.75”w x 190”h

Inside
Total Graphic Area: 52.75”w x 190.5”h
Total Finished Area: 48.75”w x 186.5”h

Please be sure to include a 2” bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2” of the edge (gray area is recommended safe area).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

OUTSIDE TOP PANEL A

CURVE

OUTSIDE BOTTOM PANEL A

INSIDE TOP PANEL A

CURVE

INSIDE BOTTOM PANEL A

bleed area
trim line
safe area

Formulate Backwall: Accent 05

Outside
Total Graphic Area: 52.75"w x 194"h
Total Finished Area:48.75"w x 190"h

Inside
Total Graphic Area: 52.75"w x 190.5"h
Total Finished Area: 48.75"w x 186.5"h

Please be sure to include a 2" bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2" of the edge (gray area is recommended safe area).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

OUTSIDE TOP PANEL A

CURVE

OUTSIDE BOTTOM PANEL A

INSIDE TOP PANEL A

CURVE

INSIDE BOTTOM PANEL A

bleed area
trim line
safe area