Formulate:
Essential Straight Banner 1500

Total Graphic Area: 63.0625”w X 95.625”h
Total Visual Area: 59.0625”w X 91.625”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 2” of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

FRONT, SIDE A

bleed area
trim line
safe zone

BACK, SIDE B

bleed area
trim line
safe zone

Formulate:
Essential Straight Banner 1500

Total Graphic Area: 63.0625”w X 95.625”h
Total Visual Area: 59.0625”w X 91.625”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 2” of the edge.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



FRONT, SIDE A

bleed area
trim line
safe zone

BACK, SIDE B

bleed area
trim line
safe zone