Hybrid Pro Modular Kit: Hybrid Pro Modular Kit 13



File @ 50% of actual size Sintra Graphic Panel A, B, D, E, G, H, J, K, M, N Total Graphic Area: 13.28"w x 44.28"h Finished Graphic Area: 12.28"w x 43.28"h Please note that graphic panels A, B, M and N will be double sided printed.

Dye Sub Graphic Panel C, F, I, L Total Graphic Area: 51.125 x 98.375"h Finished Graphic Area: 47.125"w x 94.375"h

Please be sure to include 2" bleed around the perimeter of C, F, I and L.

Please be sure to include .5" bleed around the perimeter of A, B, D, E, G, H, J, K, M, N.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

Please design the hybrid counter artwork on a separate template.


General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi at 1/2 size, 100-120 ppi at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL A OUTSIDE

PANEL A
INSIDE

PANEL B PANEL B OUTSIDE INSIDE







REPRESENTS OBSTRUCTION ONLY

PANEL F

REPRESENTS OBSTRUCTION ONLY

Use separate template for hybrid counter 08 graphic.

This panel only represents placement to show the obstructed area.





REPRESENTS OBSTRUCTION ONLY

PANEL I


REPRESENTS OBSTRUCTION ONLY

Use separate template for hybrid counter 08 graphic.

This panel only represents placement to show the obstructed area.







PANEL M PANEL M **OUTSIDE** INSIDE

PANEL N INSIDE

PANEL N OUTSIDE

bleed area — trim line ——

Hybrid Counter: Counter 08

Back Graphic

Total graphic area: 77.125"w X 43.25"h Total finished area: 73.125"w X 39.25"h

Front Door Graphic


Total graphic area: 15.35"w X 43.25"h Total finished area: 11.35"w X 39.25"h

Please be sure to include the 2" bleed around the perimeter of the graphic.

Do not design any critical elements (text, logos, etc.) within 1" of the edge (see innermost dotted line). Recommended front and side visual areas are indicated by gray boxes. Please note that we cannot guarantee the alignment of the front panel to the back panel due to the finishing.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



safe area trim line bleed area —

Hybrid Counter: Counter 08

Back Graphic

Total graphic area: 77.125"w X 43.25"h Total finished area: 73.125"w X 39.25"h


Front Door Graphic

Total graphic area: 15.35"w X 43.25"h Total finished area: 11.35"w X 39.25"h

Please be sure to include the 2" bleed around the perimeter of the graphic. Do not design any critical elements (text, logos, etc.) within 1" of the edge (see innermost dotted line). Recommended front and side visual areas are indicated by gray boxes. Please note that we cannot guarantee the alignment of the front panel to the back panel due to the finishing.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



safe area trim line bleed area —