## **Vector Frame:**Vector Frame Master Kit 22

### TEMPLATE @ 1/2 SIZE

Vector Frame Panel B and F

Vector Frame Panel A and G Total graphic area: 11.625"w X 46.25"h Total visual area: 10.625"w X 45.25"h

Total graphic area: 12.81"w X 46.25"h Total visual area: 11.81"w X 45.25"h

Vector Frame Panel C and E Total graphic area: 55.05"w X 98.375"h Total visual area: 51.05"w X 94.375"h

Vector Frame Panel D Total graphic area: 103.625"w X 98.375"h Total visual area: 99.625"w X 94.375"h

Please be sure to include the 2" bleed around the perimeter of graphic panels C, D and E. Do not design any critical elements (text, logos, etc.) within 2" of the edge (see dotted lines).


Please be sure to include .5" bleed around the perimeter of graphic panels A, B, F and G. Do not design any critical elements (text, logos, etc.) within .5" of the edge (see dotted lines).

Please consider obstructions and spaces created by the extrusions when designing your graphics.

## General Art Guidelines: - CMYK Color Mode

- CIVITIC COIOI WIOG
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files– Resolution must be 200-240 ppi at
- 1/2 size, 100-120 ppi at full size
- All fonts must be created to outlinesDo not scale artboard
- Background color/images must
- bleed to the edge of artboardDo not use spot colors from template
- in your artwork as they will not print






# MONITOR OBSTRUCTION

PANEL C


COUNTER OBSTRUCTION



# MONITOR OBSTRUCTION

PANFI F

COUNTER OBSTRUCTION



-  -  -  -  -	
	PANEL G