Immerse Acoustic Dividers

IMS-ACOU-TRI-SM IMS-ACOU-TRI-MD IMS-ACOU-TRI-LG

ImmerseTM is a sound-absorbing, 9mm thick rigid felt material designed to absorb sound. The Immerse line of acoustical partitions places emphasis on softening sound to enhance the acoustics within a space, whether it be for the home or corporate office. Through noise absorbing material and specific design features, excess sound is captured by Immerse, creating an acoustically comfortable environment that provides stillness and promotes peace of mind and well-being.







We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

dimensions:

Hardware

Assembled unit:

IMS-ACOU-TRI-SM

26.75" w x 18"h x 10"d 679mm(w) x 457mm(h) x 254mm(d) Approximate weight: 3 lbs / 2 kg

IMS-ACOU-TRI-MD

35.75" w x 23.75" h x 15.75" d 679mm(w) x 603mm(h) x 400mm(d) Approximate weight: 4 lbs / 2 kg

IMS-ACOU-TRI-LG

26.75" w x 59"h x 10"d 679mm(w) x 1498mm(h) x 254mm(d) Approximate weight: 11 lbs / 5 kg

Shipping

Packing case(s): Small-1 BOX (**IMS-ACOU-TRI-SM**) Shipping dimensions: 28"I x 19"h x 3"d 1193mm(l) x 635mm(h) x 101mm(d) shipping weight (includes Unit & Box): 5 lbs / 3 kg

Medium-1 BOX (**APEX-BX**)
Shipping dimensions:
44"l x 26"h x 3"d
1092mm(l) x 660mm(h) x 76mm(d)
shipping weight (includes Unit & Box):
10 lbs / 5 kg

Large-1 BOX (IMS-ACOU-LG-BX-BTM) Large-1 BOX (IMS-ACOU-LG-BX-TOP) Shipping dimensions: 60"I x 28"h x 3"d 1524mm(l) x 685mm(h) x 50mm(d) shipping weight (includes Unit & Box): 14 lbs / 7 kg

features and benefits:

-Made of acoustic 9mm foam

- -Comes with white and black hoop & loop
- -Thumb tacks and push pins can be used on this material
- -Instant privacy and safety when you need it without permanent installation
- -3 Panel privacy Immerse with beautiful themed designs
- -Choose a stock color or print for the front & back sides
- -Available as single or double sided see page 2 for stock color and art options
- -Custom graphic printing is also available

Graphics

Refer to related graphic template for more information

Visit: www.exhibitors-handbook.com/ graphic-templates

Acoustical:

- -ASTM C 423- best performance SA=0.98
- -ASTM E 1264- NRC- 1.0 Flammability:
- -ASTM E-84 Class A

additional information:

Graphic Codes:

- -IMS-ACOU-TRI-SM-K-G
- -IMS-ACOU-TRI-SM-K-GDBL
- -IMS-ACOU-TRI-MD-K-G
- -IMS-ACOU-TRI-MD-K-GDBL
- -IMS-ACOU-TRI-LG-K-G
- -IMS-ACOU-TRI-LG-K-GDBL
- -IMS-ACOU-TRI-SM-K
- -IMS-ACOU-TRI-MD-K
- -IMS-ACOU-TRI-LG-K



This product may include the following materials for recycle:


aluminum, select wood, fabric, cardboard, paper, steel, and plastics.

ACUSTI: I

COLORS



UNIT ASSEMBLE



STEP 1: Changing Hook & Loop

Feed white or black hook & loop in to one of the slots on the center panel then feed it through the corresponding slot on the side panel. Close the hook and loop strip on to itself to secure the panel. Repeat on all connection points.







