Tapered Ring Hanging Structures

TRNG

Tapered Ring tension fabric hanging structures are made in the USA and are of the utmost quality and durability. State-of-the-art zipper pillowcase dye-sublimated stretch fabric coverings are combined with advanced, lightweight aluminum structures to provide unique design, functionality, and style. Hanging structures are offered in a wide variety of shapes and sizes. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.



Frame





Single sided graphic


Double sided graphic





30mm tube push-button connector







17"

Hanging Structure standard box

OCE Expandable Display Case -Available as an upgrade

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice.

All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- Tapered ring hanging structures come in 8', 10', 12', 14', 16', 18' & 20' top ring diameter configurations at varying heights of 2', 3', 4', 5' & 6'
- Shapes 12' diameter and under are constructed with 30mm (11/8") tubes and push-button connectors for simple assembly
- Shapes 14' diameter and over are constructed with 50mm (2") tubes and internal expanding spigot connectors for unmatched structural integrity
- Engineer certified (structural engineer certificate available upon request)
- Zippered pillowcase fabric graphic options include: unprinted (white and black), single-sided (outer panel printed only) and double-sided (inner and outer panels printed).
- All pillowcase graphics come standard with opaque liner
- Comes standard with hanging hardware, bags and heavy-duty shipping and storage box(es)
- OCE Expandable rugged molded shipping cases available as an upgrade
- Collapses to a fraction of its size
- Easy to store and ship
- Quick to set up


dimensions:

Hardware can be found on page 2


Graphic dimensions can be found in the graphic templates, which can be viewed at www.exhibitors-handbook.com/graphic-templates

Graphic Material:

5 oz. Soft Knit Dye-sublimated zipper pillowcase fabric







| _ | | | | TRING-8' DIAMETER | | | |
|--------|---------------|---------------------|------------------------|------------------------------|----------------------|------------------------------|----------------------|
| HEIGHT | HARDWARE CODE | # OF BOXES OR CASES | UNPRINTED GRAPHIC CODE | SINGLE-SIDED GRAPHIC CODE | OUTER GRAPHIC SPECS | DOUBLE-SIDED GRAPHIC CODE | INSIDE GRAPHIC SPECS |
| 2′ | TRNG-0802 | 1 | TRNG-0802-U | TRNG-0802-G | SEE GRAPHIC TEMPLATE | TRNG-0802-GDBL | SEE GRAPHIC TEMPLATE |
| 3′ | TRNG-0803 | 1 | TRNG-0803-U | TRNG-0803-G | SEE GRAPHIC TEMPLATE | TRNG-0803-GDBL | SEE GRAPHIC TEMPLATE |
| 4′ | TRNG-0804 | 1 | TRNG-0804-U | TRNG-0804-G | SEE GRAPHIC TEMPLATE | TRNG-0804-GDBL | SEE GRAPHIC TEMPLATE |
| 5′ | TRNG-0805 | 1 | TRNG-0805-U | TRNG-0805-G | SEE GRAPHIC TEMPLATE | TRNG-0805-GDBL | SEE GRAPHIC TEMPLATE |
| 6′ | TRNG-0806 | 1 | TRNG-0806-U | TRNG-0806-G | SEE GRAPHIC TEMPLATE | TRNG-0806-GDBL | SEE GRAPHIC TEMPLATE |
| | | | | TRING-10' DIAMETER | | | |
| HEIGHT | HARDWARE CODE | # OF BOXES OR CASES | UNPRINTED GRAPHIC CODE | SINGLE-SIDED GRAPHIC CODE | OUTER GRAPHIC SPECS | DOUBLE-SIDED GRAPHIC CODE | INSIDE GRAPHIC SPECS |
| 2′ | TRNG-1002 | 1 | TRNG-1002-U | TRNG-1002-G | SEE GRAPHIC TEMPLATE | TRNG-1002-GDBL | SEE GRAPHIC TEMPLATE |
| 3′ | TRNG-1003 | 1 | TRNG-1003-U | TRNG-1003-G | SEE GRAPHIC TEMPLATE | TRNG-1003-GDBL | SEE GRAPHIC TEMPLATE |
| 4′ | TRNG-1004 | 1 | TRNG-1004-U | TRNG-1004-G | SEE GRAPHIC TEMPLATE | TRNG-1004-GDBL | SEE GRAPHIC TEMPLATE |
| 5′ | TRNG-1005 | 1 | TRNG-1005-U | TRNG-1005-G | SEE GRAPHIC TEMPLATE | TRNG-1005-GDBL | SEE GRAPHIC TEMPLATE |
| 6′ | TRNG-1006 | 1 | TRNG-1006-U | TRNG-1006-G | SEE GRAPHIC TEMPLATE | TRNG-1006-GDBL | SEE GRAPHIC TEMPLATE |
| | | | | TRING-12' DIAMETER | | | |
| HEIGHT | HARDWARE CODE | # OF BOXES OR CASES | UNPRINTED GRAPHIC CODE | SINGLE-SIDED GRAPHIC CODE | OUTER GRAPHIC SPECS | DOUBLE-SIDED GRAPHIC CODE | INSIDE GRAPHIC SPECS |
| 2′ | TRNG-1202 | 1 | TRNG-1202-U | TRNG-1202-G | SEE GRAPHIC TEMPLATE | TRNG-1202-GDBL | SEE GRAPHIC TEMPLATE |
| 3′ | TRNG-1203 | 1 | TRNG-1203-U | TRNG-1203-G | SEE GRAPHIC TEMPLATE | TRNG-1203-GDBL | SEE GRAPHIC TEMPLATE |
| 4′ | TRNG-1204 | 1 | TRNG-1204-U | TRNG-1204-G | SEE GRAPHIC TEMPLATE | TRNG-1204-GDBL | SEE GRAPHIC TEMPLATE |
| 5′ | TRNG-1205 | 1 | TRNG-1205-U | TRNG-1205-G | SEE GRAPHIC TEMPLATE | TRNG-1205-GDBL | SEE GRAPHIC TEMPLATE |
| 6′ | TRNG-1206 | 1 | TRNG-1206-U | TRNG-1206-G | SEE GRAPHIC TEMPLATE | TRNG-1206-GDBL | SEE GRAPHIC TEMPLATE |
| | | | | TRING-14' DIAMETER | | | |
| HEIGHT | HARDWARE CODE | # OF BOXES OR CASES | UNPRINTED GRAPHIC CODE | SINGLE-SIDED GRAPHIC CODE | OUTER GRAPHIC SPECS | DOUBLE-SIDED GRAPHIC CODE | INSIDE GRAPHIC SPECS |
| 2′ | TRNG-1402 | 2 | TRNG-1402-U | TRNG-1402-G | SEE GRAPHIC TEMPLATE | TRNG-1402-GDBL | SEE GRAPHIC TEMPLATE |
| 3′ | TRNG-1403 | 2 | TRNG-1403-U | TRNG-1403-G | SEE GRAPHIC TEMPLATE | TRNG-1403-GDBL | SEE GRAPHIC TEMPLATE |
| 4′ | TRNG-1404 | 2 | TRNG-1404-U | TRNG-1404-G | SEE GRAPHIC TEMPLATE | TRNG-1404-GDBL | SEE GRAPHIC TEMPLATE |
| 5′ | TRNG-1405 | 2 | TRNG-1405-U | TRNG-1405-G | SEE GRAPHIC TEMPLATE | TRNG-1405-GDBL | SEE GRAPHIC TEMPLATE |
| 6′ | TRNG-1406 | 2 | TRNG-1406-U | TRNG-1406-G | SEE GRAPHIC TEMPLATE | TRNG-1406-GDBL | SEE GRAPHIC TEMPLATE |
| | | | | TRING-16' DIAMETER | | | |
| HEIGHT | HARDWARE CODE | # OF BOXES OR CASES | UNPRINTED GRAPHIC CODE | SINGLE-SIDED GRAPHIC CODE | OUTER GRAPHIC SPECS | DOUBLE-SIDED GRAPHIC CODE | INSIDE GRAPHIC SPECS |
| 2′ | TRNG-1602 | 2 | TRNG-1602-U | TRNG-1602-G | SEE GRAPHIC TEMPLATE | TRNG-1602-GDBL | SEE GRAPHIC TEMPLATE |
| 3′ | TRNG-1603 | 2 | TRNG-1603-U | TRNG-1603-G | SEE GRAPHIC TEMPLATE | TRNG-1603-GDBL | SEE GRAPHIC TEMPLATE |
| 4' | TRNG-1604 | 2 | TRNG-1604-U | TRNG-1604-G | SEE GRAPHIC TEMPLATE | TRNG-1604-GDBL | SEE GRAPHIC TEMPLATE |
| 5′ | TRNG-1605 | 2 | TRNG-1605-U | TRNG-1605-G | SEE GRAPHIC TEMPLATE | TRNG-1605-GDBL | SEE GRAPHIC TEMPLATE |
| 6′ | TRNG-1606 | 2 | TRNG-1606-U | TRNG-1606-G | SEE GRAPHIC TEMPLATE | TRNG-1606-GDBL | SEE GRAPHIC TEMPLATE |
| | | | | TRING-18' DIAMETER | | | |
| HEIGHT | HARDWARE CODE | # OF BOXES OR CASES | UNPRINTED GRAPHIC CODE | SINGLE-SIDED GRAPHIC CODE | OUTER GRAPHIC SPECS | DOUBLE-SIDED GRAPHIC CODE | INSIDE GRAPHIC SPECS |
| 2′ | TRNG-1802 | 2 | TRNG-1802-U | TRNG-1802-G | SEE GRAPHIC TEMPLATE | TRNG-1802-GDBL | SEE GRAPHIC TEMPLATE |
| 3′ | TRNG-1803 | 2 | TRNG-1803-U | TRNG-1803-G | SEE GRAPHIC TEMPLATE | TRNG-1803-GDBL | SEE GRAPHIC TEMPLATE |
| 4′ | TRNG-1804 | 2 | TRNG-1804-U | TRNG-1804-G | SEE GRAPHIC TEMPLATE | TRNG-1804-GDBL | SEE GRAPHIC TEMPLATE |
| 5′ | TRNG-1805 | 2 | TRNG-1805-U | TRNG-1805-G | SEE GRAPHIC TEMPLATE | TRNG-1805-GDBL | SEE GRAPHIC TEMPLATE |
| 6′ | TRNG-1806 | 2 | TRNG-1806-U | TRNG-1806-G | SEE GRAPHIC TEMPLATE | TRNG-1806-GDBL | SEE GRAPHIC TEMPLATE |
| · | | | | TRING-20' DIAMETER | | | |
| HEIGHT | HARDWARE CODE | # OF BOXES OR CASES | UNPRINTED GRAPHIC CODE | SINGLE-SIDED GRAPHIC CODE | OUTER GRAPHIC SPECS | DOUBLE-SIDED GRAPHIC CODE | INSIDE GRAPHIC SPECS |
| 2′ | TRNG-2002 | 2 | TRNG-2002-U | TRNG-2002-G | SEE GRAPHIC TEMPLATE | TRNG-2002-GDBL | SEE GRAPHIC TEMPLATE |
| 3′ | TRNG-2003 | 2 | TRNG-2003-U | TRNG-2003-G | SEE GRAPHIC TEMPLATE | TRNG-2003-GDBL | SEE GRAPHIC TEMPLATE |
| 4' | TRNG-2004 | 2 | TRNG-2004-U | TRNG-2004-G | SEE GRAPHIC TEMPLATE | TRNG-2004-GDBL | SEE GRAPHIC TEMPLATE |
| 5′ | TRNG-2005 | 2 | TRNG-2005-U | TRNG-2005-G | SEE GRAPHIC TEMPLATE | TRNG-2005-GDBL | SEE GRAPHIC TEMPLATE |
| 6′ | TRNG-2006 | 2 | TRNG-2006-U | TRNG-2006-G | SEE GRAPHIC TEMPLATE | TRNG-2006-GDBL | SEE GRAPHIC TEMPLATE |
| | | = | | - | | | |

^{*}ALL GRAPHIC SIZES NOTED ARE FINISHED SIZES AND DO NOT INCLUDE REQUIRED BLEEDS. REFERENCE GRAPHIC TEMPLATES.



Unprinted graphic black & white options



Single sided graphic



Double sided graphic

TRNG-1202

SET UP INSTRUCTIONS:

1. CONNECT BOTTOM AND TOP TUBES FOLLOWING THE LABELS
2. CONNECT SIDE TUBES
3. CLEAN THE FRAME AND PLACE THEM ON CLEAN PLACE
4. CAREFULLY REMOVE FABRIC COVER FROM BAG
5. PLACE COVER AROUND THE BOTTOM OF THE FRAME
6. PULL COVER CAREFULLY UP TO THE TOP
7. CLOSE ALL ZIPPERS
8. ADJUST FABRIC AROUND THE FRAME
9. CONNECT CABLE HARNESS TO THE EYEBOLTS
10. COMPLETELY TIGHTEN THREADED CONNECTORS

BREAK DOWN INSTRUCTIONS: REVERSE SET-UP STEPS TO BREAKDOWN FRAME

FABRIC CARE INSTRUCTIONS:

1. UNZIP COVER ZIPPERS


2. CAREFULLY REMOVE FABRIC COVER


3. CLOSE ALL ZIPPERS


4. FOLD OR ROLL NEATLY


5. PLACE FABRIC IN COVER BAG


CH-SP4-LD-08 TC-30-T-EYEBOLT TC-30-T-EYEBOLT NOTE: SNAP BUTTONS FACE THE SAME WAY TC-30-T-EYEBOLT TC-30-T-EYEBOL TC-30-T TRNG-12-T1 SPDR-30-C2-2 SPDR-30-C2-2 TC-30-T TC-30-T TRNG-12-T2















| CODE | DESCRIPTION | |
|-----------------|--|--|
| CH-SP4-LD-08 | 4-CABLE SINGLE POINT LIGHT DUTY HARNESS WITH 96" LENGTHS 1/16" CABLE | |
| SPDR-30-C2-2 | 30MM CURVED SPREADER FOR 2' HIGH 30MM TAPERED RING HANGING FABRIC STRUCT | |
| TC-30-T-EYEBOLT | T JUNCTION FOR 30MM TUBING | |
| TC-30-T | T JUNCTION FOR 30MM TUBING | |
| TRNG-12-T2 | LOWER TUBE FOR 12' OD 2' HIGH TAPERED RING HANGING STRUCTURES | |
| TRNG-12-T1 | UPPER TUBE FOR 12' OD TAPERED RING HANGING STRUCTURES | |
| | CH-SP4-LD-08 SPDR-30-C2-2 TC-30-T-EYEBOLT TC-30-T TRNG-12-T2 | |













http://www.display-setup-animations.com/trng-1202