

Flat Projecting Signs


FLAT-PJL Series FLAT-PJP Series

A range of double sided, flat wall mountable systems in landscape and portrait orientations. Comes complete with decorative nut caps. Clear non-glare lens optional. Wall bracket comes in silver and custom sizes are available to meet your specifications.



PJL Series

PJP Series



features and benefits:

PJL Series - Landscape

- Double sided flat projecting frames, landscape orientation
- Available in anodized silver or black
- Option of round or square profile
- Comes standard with clear non-glare lens, unless otherwise specified

PJP Series - Portrait

- Double sided flat projecting frames, portrait orientation
- Available in anodized silver or black
- Option of round or square profile
- Comes standard with clear non-glare lens, unless otherwise specified

dimensions:

Hardware

Assembled unit:

- Custom sizes available
- All lengths measurements (as shown on following page) apply to the extrusion only and exclude the end caps

Shipping

Shipping weights and dimensions vary depending on the quantity of product ordered. Contact your dealer for your specific weights and dimensions.

additional information:

Graphic material:

Frames can accommodate a multitude of sign substrates from printed paper inserts, laminated printed, cut vinyl, etc. Your sign professional will help you find the material that's right for your project.


*Nut cap should be tightened by hand tool only. Tightening by power tool may compromise tension.

- Comes fully assembled




We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.


FLAT-PJL Series



FLAT-PJP Series




Mounting Instructions



Direct to Wall

FLAT-WP
FLAT-PJT
FLAT-DIRP
FLAT-DIRM


- Step 1.** Set frame on wall in desired location.
- Step 2.** Mark holes, remove frame, and drill holes.
- Step 3.** Place anchors in drilled holes, screws in anchors, then screw into wall.
- Step 4.** Mount frame by lining channel bars with screws.



Bracket to Wall

FLAT-PJL
FLAT-PJP

- Step 1.** Set bracket on wall in desired location.
- Step 2.** Mark holes, remove bracket, and drill holes.
- Step 3.** Place anchors in drilled holes, then return bracket to wall.
- Step 4.** Place screws through bracket face and screw into anchors.
- Step 5.** Apply nut caps.



Suspend

FLAT-SUSP

- Step 1.** Install mounts (not included) on ceiling in desired location.
- Step 2.** Attach cables (not included) to mounts and frame rings.

Mounting Tape

- Step 1.** Remove paper cover from tape.
- Step 2.** Apply frame to wall in desired location.