

Hanging Structure:

Ring 1206 Double Sided

12) prints to make (1) double sided structure

Outside Panel

Total Graphic Area: 462.4" w X 82.7" h
Total Visual Area: 452.4" w X 72.7" h

Inside Panel

Total Graphic Area: 455" w X 82.7" h
Total Visual Area: 445" w X 72.7" h

Please be sure to include the 2" bleed around the perimeter. Do NOT design any critical elements (text, logos, etc.) within 1" of the finished edge (see dotted line in template).

General Art Guidelines:

- CMYK Color Mode

- All Solid Colored Pantone colors should be called out in the art as spot colors

- Embed all images and support files


- Resolution must be 1000-1200 dpi @ 1/10 size, 100-120 dpi @ 100% print size

- All fonts must be created to outlines

- Do not scale artwork

- Background color/images must bleed to the edge of artwork

- Do not use spot colors from template in your artwork as they will not print



OUTSIDE

INSIDE

bleed area
trim line
safe zone

Hanging Structure:
Ring 1206 Double Sided

TEMPLATE IS @ 1/10 SIZE

(2) prints to make (1) double sided structure

Outside Panel

Total Graphic Area: 462.4" w X 82" h

Total Visual Area: 452.4" w X 72" h

Inside Panel


Total Graphic Area: 455" w X 82" h

Total Visual Area: 445" w X 72" h

Please be sure to include the 5" bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 1" of the finished edge (see dotted line in template).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 1000-1200 ppi @ 1/10 size, 100-120 ppi @ 100% print size
- All fonts must be created to outlines
- Do not scale artwork
- Background color/images must bleed to the edge of artwork
- Do not use spot colors from template in your artwork as they will not print



OUTSIDE

INSIDE

bleed area
trim line
safe zone